

PassleaderVCE

PassLeaderVCE

HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (0)

Pass Your Next Certification Exam Fast!

Wonderful Certification Exam Guide and Exam Dumps - PassLeaderVCE

365 days free updates. First attempt guaranteed success.

Select a vendor...

Select an test...

Your email address

Free Download Demo

We're not the only ones **happy** about PassLeaderVCE Practice Material ...

49316+ customers in 100+ countries use PassLeaderVCE Test Engine. Meet our customers.

VOREED

GetCustom

JET ORANGE

iCompany

Paradoxx

iMessenger



<http://www.passleadervce.com/>

Wonderful Certification Exam Guide and Exam Dumps- PassLeaderVCE

Exam : 70-536-VB

Title : TS:MS.NET Framework 2.0-
Application Develop Foundation

Vendors : Microsoft

Version : DEMO

1. You are working on a debug build of an application.

You need to find the line of code that caused an exception to be thrown.

Which property of the Exception class should you use to achieve this goal?

- A. Data
- B. Message
- C. StackTrace
- D. Source

Answer: C

2. You are writing a method that returns an ArrayList named al.

You need to ensure that changes to the ArrayList are performed in a thread-safe manner.

Which code segment should you use?

A. Dim al As ArrayList = New ArrayList()

 SyncLock al.SyncRoot

 Return al

 End SyncLock

B. Dim al As ArrayList = New ArrayList()

 SyncLock al.SyncRoot.GetType()

 Return al

 End SyncLock

C. Dim al As ArrayList = New ArrayList()

 Monitor.Enter(al)

 Monitor.Exit(al)

 Return al

D. Dim al As ArrayList = New ArrayList()

 Dim sync_al as ArrayList = ArrayList.Synchronized(al)

 Return sync_al

Answer: D

3. You need to create a method to clear a Queue named q.

Which code segment should you use?

A. Dim e As Object

 For Each e In q

 q.Dequeue()

 Next

B. Dim e As Object

```
For Each e In q
    q.Enqueue(Nothing)
Next
```

C. q.Clear()

D. q.Dequeue()

Answer: C

4. You are creating a class to compare a specially-formatted string. The default collation comparisons do not apply.

You need to implement the IComparable(Of String) interface.

Which code segment should you use?

A. Public Class Person

```
    Implements IComparable(Of String)
```

```
    Public Function CompareTo(ByVal other As String) As _
```

```
        Integer Implements IComparable(Of String).CompareTo
```

```
    ...
```

```
End Function
```

```
End Class
```

B. Public Class Person

```
    Implements IComparable(Of String)
```

```
    Public Function CompareTo(ByVal other As Object) As _
```

```
        Integer Implements IComparable(Of String).CompareTo
```

```
    ...
```

```
End Function
```

```
End Class
```

C. Public Class Person

```
    Implements IComparable(Of String)
```

```
    Public Function CompareTo(ByVal other As String) _
```

```
        As Boolean Implements IComparable(Of String).CompareTo
```

```
    ...
```

```
End Function
```

```
End Class
```

D. Public Class Person

```
    Implements IComparable(Of String)
```

```
    Public Function CompareTo(ByVal other As Object) _
```

```
As Boolean Implements IComparable(Of String).CompareTo
```

```
...
```

```
End Function
```

```
End Class
```

Answer: A

5. You are writing a custom dictionary. The custom-dictionary class is named MyDictionary.

You need to ensure that the dictionary is type safe.

Which code segment should you use?

A. Class MyDictionary

```
Implements Dictionary(Of String, String)
```

B. Class MyDictionary

```
Inherits HashTable
```

C. Class MyDictionary

```
Implements IDictionary
```

D. Class MyDictionary

```
...
```

```
End Class
```

```
Dim t As New Dictionary(Of String, String)
```

```
Dim dict As MyDictionary = CType(t, MyDictionary)
```

Answer: A

6. You are creating an undo buffer that stores data modifications.

You need to ensure that the undo functionality undoes the most recent data modifications first. You also need to ensure that the undo buffer permits the storage of strings only.

Which code segment should you use?

A. Dim undoBuffer As New Stack(Of String)

B. Dim undoBuffer As New Stack()

C. Dim undoBuffer As New Queue(Of String)

D. Dim undoBuffer As New Queue()

Answer: A

7. You are developing an application to assist the user in conducting electronic surveys. The survey consists of 25 true-or-false questions.

You need to perform the following tasks:

Initialize each answer to true.

Minimize the amount of memory used by each survey.

Which storage option should you choose?

- A. Dim answers As New BitVector32(1)
- B. Dim answers As New BitVector32(-1)
- C. Dim answers As New BitArray(1)
- D. Dim answers As New BitArray(-1)

Answer: B

8. You are creating a class named Age.

You need to ensure that the Age class is written such that collections of Age objects can be sorted.

Which code segment should you use?

A. Public Class Age

```
Public Value As Integer
Public Function CompareTo(ByVal obj As Object) As Object
    If TypeOf obj Is Age Then
        Dim _age As Age = CType(obj, Age)
        Return Value.CompareTo(obj)
    End If
    Throw New ArgumentException("object not an Age")
End Function
End Class
```

B. Public Class Age

```
Public Value As Integer
Public Function CompareTo(ByVal iValue As Integer) As Object
    Try
        Return Value.CompareTo(iValue)
    Catch
        Throw New ArgumentException ("object not an Age")
    End Try
End Function
End Class
```

C. Public Class Age

```
Implements IComparable
Public Value As Integer
Public Function CompareTo(ByVal obj As Object) As Integer _
    Implements IComparable.CompareTo
```

```
If TypeOf obj Is Age Then
    Dim _age As Age = CType(obj, Age)
    Return Value.CompareTo(_age.Value)
End If
Throw New ArgumentException("object not an Age")
End Function
End Class
```

D. Public Class Age

```
    Implements IComparable
    Public Value As Integer
    Public Function CompareTo(ByVal obj As Object) As Integer _
    Implements IComparable.CompareTo
    Try
        Return Value.CompareTo((CType(obj, Age)).Value)
    Catch
        Return -1
    End Try
    End Function
End Class
```

Answer: C

9. You are developing a custom event handler to automatically print all open documents. The event handler helps specify the number of copies to be printed.

You need to develop a custom event arguments class to pass as a parameter to the event handler.

Which code segment should you use?

A. Public Class PrintingArgs

```
    Private _copies As Integer
    Public Sub New(ByVal numberOfCopies As Integer)
        Me._copies = numberOfCopies
    End Sub
    Public ReadOnly Property Copies() As Integer
    Get
        Return Me._copies
    End Get
End Property
```

End Class

B. Public Class PrintingArgs

Inherits EventArgs

Private _copies As Integer

Public Sub New(ByVal numberOfCopies As Integer)

Me._copies = numberOfCopies

End Sub

Public ReadOnly Property Copies() As Integer

Get

Return Me._copies

End Get

End Property

End Class

C. Public Class PrintingArgs

Private eventArgs As EventArgs

Public Sub New(ByVal args As EventArgs)

Me.eventArgs = args

End Sub

Public ReadOnly Property Args() As EventArgs

Get

Return eventArgs

End Get

End Property

End Class

D. Public Class PrintingArgs

Inherits EventArgs

Private copies As Integer

End Class

Answer: B

10. You write the following code.

```
Public Delegate Sub FaxDocs(ByVal sender As Object, _  
                             ByVal args as FaxArgs)
```

You need to create an event that will invoke FaxDocs.

Which code segment should you use?

- A. Public Shared Event Fax As FaxDocs
- B. Public Shared Event FaxDocs As FaxArgs
- C. Public Class FaxArgs

```
Inherits EventArgs
```

```
Private coverPageInfo As String
```

```
Public Sub New(ByVal coverInfo As String)
```

```
Me.coverPageInfo = coverInfo
```

```
End Sub
```

```
Public ReadOnly Property CoverPageInformation As String
```

```
Get
```

```
Return Me.coverPageInfo
```

```
End Get
```

```
End Property
```

```
End Class
```

- D. Public Class FaxArgs

```
Inherits EventArgs
```

```
Private coverPageInfo As String
```

```
Public ReadOnly Property CoverPageInformation As String
```

```
Get
```

```
Return Me.coverPageInfo
```

```
End Get
```

```
End Property
```

```
End Class
```

Answer: A

11. You need to write a multicast delegate that accepts a DateTime argument.

Which code segment should you use?

- A. Public Delegate Function PowerDeviceOn(_
ByVal result As Boolean, _
ByVal autoPowerOff As?DateTime) _
As Integer
- B. Public Delegate Function PowerDeviceOn(_
ByVal sender As Object, _
ByVal autoPowerOff As EventArgs) _

As Boolean

C. Public Delegate Sub PowerDeviceOn(_
ByVal autoPowerOff As DateTime)

D. Public Delegate Function PowerDeviceOn(_
ByVal autoPowerOff As DateTime) _
As Boolean

Answer: C

12. You develop a service application named PollingService that periodically calls long-running procedures. These procedures are called from the DoWork method.

You use the following service application code:

```
Partial Class PollingService
```

```
Inherits ServiceBase
```

```
Dim blnExit As Boolean = False
```

```
Protected Overrides Sub OnStart(ByVal args() As String)
```

```
Do
```

```
DoWork()
```

```
Loop While Not blnExit
```

```
End Sub
```

```
Protected Overrides Sub OnStop()
```

```
blnExit = True
```

```
End Sub
```

```
Private Sub DoWork()
```

```
...
```

```
End Sub
```

```
End Class
```

When you attempt to start the service, you receive the following error message: Could not start the

PollingService service on the local computer. Error 1053: The service did not respond to the start or control request in a timely fashion.

You need to modify the service application code so that the service starts properly.

What should you do?

- A. Move the loop code into the constructor of the service class from the OnStart method.
- B. Drag a timer component onto the design surface of the service. Move the calls to the long-running procedure from the OnStart method into the Tick event procedure of the timer, set the Enabled property of the timer to True, and call the Start method of the timer in the OnStart method.
- C. Add a class-level System.Timers.Timer variable to the service class code. Move the call to the DoWork method into the Elapsed event procedure of the timer, set the Enabled property of the timer to True, and call the Start method of the timer in the OnStart method.
- D. Move the loop code from the OnStart method into the DoWork method.

Answer: C

13. You develop a service application named FileService. You deploy the service application to multiple servers on your network.

You implement the following code segment. (Line numbers are included for reference only.)

```

01 Public Sub StartService(ByVal serverName As String)
02     Dim ctrl As ServiceController = _
03     New ServiceController("FileService")
04     If ctrl.Status = ServiceControllerStatus.Stopped Then
05     End If
06 End Sub

```

You need to develop a routine that will start FileService if it stops. The routine must start FileService on the server identified by the serverName input parameter.

Which two lines of code should you add to the code segment? (Each correct answer presents part of the solution. Choose two.)

A. Insert the following line of code between lines 03 and 04:

```
ctrl.ServiceName = serverName
```

B. Insert the following line of code between lines 03 and 04:

```
ctrl.MachineName = serverName
```

C. Insert the following line of code between lines 03 and 04:

```
crtl.Site.Name = serverName
```

D. Insert the following line of code between lines 04 and 05:

```
crtl.Continue()
```

E. Insert the following line of code between lines 04 and 05:

```
crtl.Start()
```

F. Insert the following line of code between lines 04 and 05:

```
crtl.ExecuteCommand(0)
```

Answer: BE

14. You are developing an application to perform mathematical calculations. You develop a class named CalculationValues. You write a procedure named PerformCalculation that operates on an instance of the class.

You need to ensure that the user interface of the application continues to respond while calculations are being performed. You need to write a code segment that calls the PerformCalculation procedure to achieve this goal.

Which code segment should you use?

A. Private Sub PerformCalculation()

```
...
```

```
End Sub
```

```
Private Sub DoWork()
```

```
    Dim myValues As New CalculationValues()
```

```
    Dim newThread As New Thread( _
```

```
        New ThreadStart(AddressOf PerformCalculation))
```

```
    newThread.Start(myValues)
```

```
End Sub
```

B. Private Sub PerformCalculation()

```
...
```

```
End Sub
```

```
Private Sub DoWork()
```

```
    Dim myValues As New CalculationValues()
```

```
    Dim delStart As New ThreadStart( _
```

```
AddressOf PerformCalculation)
```

```
    Dim newThread As New Thread(delStart)
```

```
    If newThread.IsAlive Then
```

```
        newThread.Start(myValues)
```

```
End If
```

```
End Sub
```

```
C. Private Sub PerformCalculation ( _  
    ByVal values As CalculationValues)
```

```
...
```

```
End Sub
```

```
Private Sub DoWork()
```

```
    Dim myValues As New CalculationValues()
```

```
    Application.DoEvents()
```

```
    PerformCalculation(myValues)
```

```
    Application.DoEvents()
```

```
End Sub
```

```
D. Private Sub PerformCalculation ( _  
    ByVal values As Object)
```

```
...
```

```
End Sub
```

```
Private Sub DoWork()
```

```
    Dim myValues As New CalculationValues()
```

```
    Dim newThread As New Thread( _
```

```
        New ParameterizedThreadStart( _
```

```
            AddressOf PerformCalculation))
```

```
    newThread.Start(myValues)
```

```
End Sub
```

Answer: D

15. You need to write a code segment that will create a common language runtime (CLR) unit of isolation within an application.

Which code segment should you use?

- A. Dim mySetup As AppDomainSetup = _
 AppDomain.CurrentDomain.SetupInformation
 mySetup.ShadowCopyFiles = "true"
- B. Dim myProcess As System.Diagnostics.Process
 myProcess = New System.Diagnostics.Process()
- C. Dim domain As AppDomain
 domain = AppDomain.CreateDomain("MyDomain")

D. Dim myComponent As System.ComponentModel.Component
 myComponent = New System.ComponentModel.Component()

Answer: C

16. You are creating an application that retrieves values from a custom section of the application configuration file. The custom section uses XML as shown in the following block.

```
<<ProjectSection name="Project1">
  <role name="administrator" />
  <role name="manager" />
  <role name="support" />
<</ProjectSection>
```

You need to write a code segment to define a class named Role. You need to ensure that the Role class is initialized with values that are retrieved from the custom section of the configuration file.

Which code segment should you use?

A. Public Class Role

```
Inherits ConfigurationElement
Friend _ElementName As String = "name"
<ConfigurationProperty("role")> _
Public ReadOnly Property Name() As String
  Get
    Return CType(Me("role"), String)
  End Get
End Property
End Class
```

B. Public Class Role

```
Inherits ConfigurationElement
Friend _ElementName As String = "role"
<ConfigurationProperty("name", IsRequired:=True)> _
Public ReadOnly Property Name() As String
  Get
    Return CType(Me("name"), String)
  End Get
End Property
```

End Class

C. Public Class Role

```
Inherits ConfigurationElement
Friend _ElementName As String = "role"
Private _name As String
<ConfigurationProperty("name")> _
Public ReadOnly Property Name() As String
    Get
        Return _name
    End Get
End Property
End Class
```

D. Public Class Role

```
Inherits ConfigurationElement
Friend _ElementName As String = "name"
Private _name As String
<ConfigurationProperty("role", IsRequired:=True)> _
Public ReadOnly Property Name() As String
    Get
        Return _name
    End Get
End Property
End Class
```

Answer: B

17. You are developing an application that dynamically loads assemblies from an application directory. You need to write a code segment that loads an assembly named Assembly1.dll into the current application domain.

Which code segment should you use?

A. Dim domain As AppDomain = AppDomain.CurrentDomain

```
Dim myPath As String = _
    Path.Combine(domain.BaseDirectory, "Assembly1.dll")
Dim asm As [Assembly] = [Assembly].LoadFrom(myPath)
```

B. Dim domain As AppDomain = AppDomain.CurrentDomain

```
Dim myPath As String = _
```

```
Path.Combine(domain.BaseDirectory, "Assembly1.dll")
```

```
Dim asm As [Assembly] = [Assembly].Load(myPath)
```

C. Dim domain As AppDomain = AppDomain.CurrentDomain

```
Dim myPath As String = _
```

```
Path.Combine(domain.DynamicDirectory, "Assembly1.dll")
```

```
Dim asm As [Assembly] = _
```

```
AppDomain.CurrentDomain.Load(myPath)
```

D. Dim domain As AppDomain = AppDomain.CurrentDomain

```
Dim asm As [Assembly] = domain.GetData("Assembly1.dll")
```

Answer: A

18. You create a class library that is used by applications in three departments of your company. The library contains a Department class with the following definition.

```
Public Class Department
    Public name As String
    Public manager As String
End Class
```

Each application uses a custom configuration section to store department-specific values in the application configuration file as shown in the following code.

```
<Department>
  <name>Hardware</name>
  <manager>Amy</manager>
</Department>
```

You need to write a code segment that creates a Department object instance by using the field values retrieved from the application configuration file.

Which code segment should you use?

A. Public Class deptElement

```
Inherits ConfigurationElement
```

```
Protected Overrides Sub DeserializeElement( _
```

```
ByVal reader As XmlReader, _
```

```
ByVal serializeCollectionKey As Boolean)
```

```
Dim dept As Department = New Department()
```

```
dept.name = ConfigurationManager.AppSettings("name")
```

```
dept.manager = _
```

```
ConfigurationManager.AppSettings("manager")
```

```
End Sub
```

```
End Class
```

B. Public Class deptElement

```
Inherits ConfigurationElement
```

```
Protected Overrides Sub DeserializeElement( _
```

```
ByVal reader As XmlReader, _
```

```
ByVal serializeCollectionKey As Boolean)
```

```
Dim dept As Department = New Department()
```

```
dept.name = reader.GetAttribute("name")
```

```
dept.manager = reader.GetAttribute("manager")
```

```
End Sub
```

```
End Class
```

C. Public Class deptHandler

```
Implements IConfigurationSectionHandler
```

```
Public Function Create(ByVal parent As Object, _
```

```
ByVal configContext As Object, _
```

```
ByVal section As System.Xml.XmlNode) As Object _
```

```
Implements IConfigurationSectionHandler.Create
```

```
Dim dept As Department = new Department()
```

```
dept.name = section.SelectSingleNode("name").InnerText
```

```
dept.manager = _
```

```
section.SelectSingleNode("manager").InnerText
```

```
Return dept
```

```
End Function
```

```
End Class
```

D. Public Class deptHandler

```
Implements IConfigurationSectionHandler
```

```
Public Function Create(ByVal parent As Object, _
```

```
ByVal configContext As Object, _
```

```
ByVal section As System.Xml.XmlNode) As Object _
```

```
Implements IConfigurationSectionHandler.Create
```

```
Dim dept As Department = new Department()
```

```
dept.name = section.Attributes("name").Value
```

```

    dept.manager = section.Attributes("manager").Value
    Return dept
End Function
End Class

```

Answer: C

19. You are testing a newly developed method named PersistToDB. This method accepts a parameter of type EventLogEntry. This method does not return a value.

You need to create a code segment that helps you to test the method. The code segment must read entries from the application log of local computers and then pass the entries on to the PersistToDB method. The code block must pass only events of type Error or Warning from the source MySource to the PersistToDB method.

Which code segment should you use?

- A. Dim myLog As New EventLog("Application", ".")
 For Each entry As EventLogEntry In myLog.Entries
 If entry.Source = "MySource" Then
 PersistToDB(entry)
 End If
 Next
- B. Dim myLog as New EventLog("Application", ".")
 myLog.Source = "MySource"
 For Each entry As EventLogEntry In myLog.Entries
 If entry.EntryType = (EventLogEntryType.Error And _
 EventLogEntryType.Warning) Then
 PersistToDB(entry)
 End If
 Next
- C. Dim myLog as New EventLog("Application", ".")
 For Each entry As EventLogEntry In myLog.Entries
 If entry.Source = "MySource" Then
 If (entry.EntryType = EventLogEntryType.Error) Or _
 (entry.EntryType = EventLogEntryType.Warning) Then
 PersistToDB(entry)
 End If
 End If

Next

```
D. Dim myLog as New EventLog("Application", ".")
   myLog.Source = "MySource"
   For Each entry As EventLogEntry In myLog.Entries
     If (entry.EntryType = EventLogEntryType.Error) Or _
       (entry.EntryType = EventLogEntryType.Warning) Then
       PersistToDB(entry)
     End If
   Next
```

Next

Answer: C

20. You are creating an application that lists processes on remote computers. The application requires a method that performs the following tasks:

Accept the remote computer name as a string parameter named strComputer.

Return an ArrayList object that contains the names of all processes that are running on that computer.

You need to write a code segment that retrieves the name of each process that is running on the remote computer and adds the name to the ArrayList object.

Which code segment should you use?

- A. Dim al As New ArrayList()
 Dim procs As Process() = _
 Process.GetProcessesByName(strComputer)
 Dim proc As Process
 For Each proc In procs
 al.Add(proc)
 Next
- B. Dim al As New ArrayList()
 Dim procs As Process() = Process.GetProcesses(strComputer)
 Dim proc As Process
 For Each proc In procs
 al.Add(proc)
 Next
- C. Dim al As New ArrayList()
 Dim procs As Process() = _
 Process.GetProcessesByName(strComputer)
 Dim proc As Process

```
For Each proc In procs  
    al.Add(proc.ProcessName)  
Next
```

D. Dim al As New ArrayList()

```
Dim procs As Process() = Process.GetProcesses(strComputer)  
Dim proc As Process  
For Each proc In procs  
    al.Add(proc.ProcessName)  
Next
```

Answer: D